



Lira is a minimalist LED downlight utilising a range of LED modules, ensuring a versatile solution with a multitude of options. The optic is positioned high within the fixture, providing visual comfort while allowing a wide and even light distribution. Clean, simple, and compact, Lira combines unique aesthetics with superior quality to provide efficient illumination for commercial, retail, or residential projects.



**IP20**  
**IP44**



LIRA



Lira 100 - Fixed

Dimensions	Ø100mm x 40mm (Trim only)
Finish	White (WH) / Black (BK) / Custom Colour (CC)
Configurations	Ceiling Recessed
Description	180B100GU1044 / Lira 100 Fixed IP44 Trim (90mmØ Cutout)
Rating	IP44



Lira 100 - Adjustable

Dimensions	Ø100mm x 40mm (Trim only)
Finish	White (WH) / Black (BK) / Custom Colour (CC)
Configurations	Ceiling Recessed
Description	180B100GU1020 / Lira 100 Adjustable IP20 Trim (90mmØ Cutout)
Rating	IP20




Additional Information


This product comes in our standard colour range however can be colour-customised to seamlessly integrate into your space. Minimum order quantities apply. For more information please contact our customer service team on +61 3 9427 0231 or email [info@sphera.com.au](mailto:info@sphera.com.au)

## LED Modules


<b>Code / Description</b>	LML063060LEDDIM - 3000K 6W Dimmable 36° Low Profile Module
<b>Lumen Output</b>	700lm
<b>CRI</b>	90+
<b>Lifespan</b>	50,000 Hours
<b>Voltage</b>	220-240 V
<b>Dimmable</b>	Phase-Cut
<b>Options</b>	DALI , Casambi



<b>Code / Description</b>	LML8-12W3CCT55DIM - 2700K   3000K   4000K - 8   10   12W Dimmable 55° LED Module
<b>Lumen Output</b>	1200lm
<b>CRI</b>	90+
<b>Lifespan</b>	50,000 Hours
<b>Voltage</b>	220-240 V
<b>Dimmable</b>	Phase-Cut
<b>Options</b>	DALI , Casambi
	Beam Angle   15°   24°   36°



<b>Code / Description</b>	LMR17TW60LEDIM - 2700K   3000K   4000K 17W Dimmable 60° Module
<b>Lumen Output</b>	1100lm
<b>CRI</b>	90+
<b>Lifespan</b>	50,000 Hours
<b>Voltage</b>	220-240 V
<b>Dimmable</b>	Phase-Cut
<b>Options</b>	DALI , Casambi
	Beam Angle   15°   24°   38°



## Accessories

<b>Globes</b>	GU10 LED Smart Wi-Fi Globe Tunable White / Colour Changing
<b>Controller</b>	Wi-Fi Controller for Smart Globe (Up to 50 Globes)

## Additional Information

This product comes in our standard colour range however can be colour-customised to seamlessly integrate into your space. Minimum order quantities apply. For more information please contact our customer service team on +61 3 9427 0231 or email [info@sphera.com.au](mailto:info@sphera.com.au)